



SOME LIKE IT COOL



MINI STORE

EN

www.isobar.be

MINISTORE

maximum advantage

accessories



Door handle with lock and emergency release



Durethan hinge



Tongue-and-groove with integrated locking system



Floor

1. without floor
2. with cold room floor
3. with freezer room floor

MAXIMUM VERSATILITY

Ministore is a high quality and polyvalent cold room or freezer room. It offers a practical and economical solution for various applications in places such as bakeries, butcher shops, fish shops, vegetable wholesalers, groceries, florists, etc. Ministore is perfect for use in hospitals, dispensaries, restaurants and laboratories. It is also an option for private use as a replacement for your cellar.

In short, Ministore is an ideal solution for perfect hygiene, maximum storage and a compact housing.

PRACTICAL IN EVERY WAY

The Ministore cold rooms or freezer rooms can be assembled and disassembled quickly and easily. Their solid construction, which uses tongue-and-groove assembly with cold-bridge free eccentric hook fasteners, makes all this possible. They are also easy to move. Without a doubt, Ministore is a useful investment with a good and quick return, which contributes significantly to the efficiency of your business.

BUILT TO LAST

The Ministore was designed for intensive use, which is guaranteed by its solid construction and high quality materials. The isotherm door with smooth rubber gaskets and the central door handle system with cylinder lock and emergency release offers you easy access. The hardware is mostly made of rustproof materials. The sandwich panels, in 80 mm environment friendly CFC-free and HCFC-free polyurethane foam, ensure maximum insulation.

FLEXIBILITY IN DESIGN

According to your specific needs, different standard designs are available. You can select the inner dimensions as a multiple of a standard module of 300mm.

Ministores can be supplied:

- Without floor (outside, 2,12m in height)
- With floor for positive temperatures (outside, 2,10m in height)
- With floor for negative temperatures (outside, 2,14 m in height), fitted with floor ventilation profiles

For the entrance, you can also choose a wider door (920mm instead of 700mm), a glass door with double-glazing or insulated hatches. Different types of reinforced floors are also available. Ministores configured as a freezer room of up to -20°C are fitted with doorframe heating and a pressure release valve.

[REFER TO THE TECHNICAL SPECIFICATIONS ON OUR WEBSITE](#)

SOME LIKE IT COOL



options



Insulated hatches



Inner skirting



Reinforced floor 9 mm



Inner rounded corners



Racks with four shelves




Compact cooling unit

TYPE	OUTER WIDTH	OUTER LENGTH	CONTENT
	metres	metres	litres
90/120	1,06	1,36	2.080
90/150	1,06	1,66	2.600
90/180	1,06	1,96	3.140
90/210	1,06	2,26	3.660
90/240	1,06	2,56	4.180
90/270	1,06	2,86	4.700
90/300	1,06t	3,16	5.220
120/120	1,36	1,36	2.780
120/150	1,36	1,66	3.480
120/180	1,36	1,96	4.180
120/210	1,36	2,26	4.880
120/240	1,36	2,56	5.580
120/270	1,36	2,86	6.280
120/300	1,36	3,16	6.980
120/330	1,36	3,46	7.680
120/360	1,36	3,76	8.380
120/390	1,36	4,06	9.060
120/420	1,36	4,36	9.760
150/150	1,66	1,66	4.360
150/180	1,66	1,96	5.220
150/210	1,66	2,26	6.100
150/240	1,66	2,56	6.980
150/270	1,66	2,86	7.840
150/300	1,66	3,16	8.720
150/330	1,66	3,46	9.600
150/360	1,66	3,76	10.460
150/390	1,66	4,06	11.340
150/420	1,66	4,36	12.220
180/180	1,96	1,96	6.280
180/210	1,96	2,26	7.320
180/240	1,96	2,56	8.380
180/270	1,96	2,86	9.420
180/300	1,96	3,16	10.460
180/330	1,96	3,46	11.520
180/360	1,96	3,76	12.560
180/390	1,96	4,06	13.600
180/420	1,96	4,36	14.660
210/210	2,26	2,26	8.540
210/240	2,26	2,56	9.760
210/270	2,26	2,86	10.980
210/300	2,26	3,16	12.220
210/330	2,26	3,46	13.440
210/360	2,26	3,76	14.660
210/390	2,26	4,06	15.880
210/420	2,26	4,36	17.100
240/240	2,56	2,56	11.160
240/270	2,56	2,86	12.560
240/300	2,56	3,16	13.960
240/330	2,56	3,46	15.360
240/360	2,56	3,76	16.760
240/390	2,56	4,06	18.140
240/420	2,56	4,36	19.540
270/270	2,86	2,86	14.140
270/300	2,86	3,16	15.700
270/330	2,86	3,46	17.280
270/360	2,86	3,76	18.840
270/390	2,86	4,06	20.420
270/420	2,86	4,36	21.980
300/300	3,16	3,16	17.460
300/330	3,16	3,46	19.200
300/360	3,16	3,76	20.940
300/390	3,16	4,06	22.680
300/420	3,16	4,36	24.440

MINISTORE

maximum advantage



MINISTORE

- 1. floor panel - 2. wall panel - 3. doorframe with doorleaf
- 4. lock and emergency release - 5. ceiling panel
- 6. floor ventilation profiles - 7. two-way corner profile



ISOBAR NV

Pontstraat 80 · Waregem zone 11b

B-8791 Beveren-Leie

T - +32 (0) 56 710 494

F - +32 (0) 56 703 287

E - info@isobar.be

Subject to changes
EN - 05/11

